Circulation Research

AUTHOR INDEX

VOLUME XVIII — JANUARY–JUNE, 1966

Abboud, F. M., 263
Abildskov, J. A., 416
Ackerman, F. H., 398
Anné, A., 447
Aroesty, J. M., 388
Attinger, E. O., 447

Barer, G. R., 366
Barnett, G. O., 303, 673
Bassingthwaighte, J. B., 398
Battersby, E. J., 97
Baum, T., 118
Beck, L., 714
Behar, M. G., 469
Bing, R. J., 558
Bloom, W. L., 113
Bloomfield, D. A., 97
Blount, S. G., Jr., 634
Bondurant, S., 683
Bowyer, A. F., 248
Brachfeld, N., 178
Brady, A. J., 164
Braunwald, E., 149, 357
Bristow, J. D., 457
Brown, A. L. Jr., 534
Brown, T. C., 475
Burton, A. C., 26, 79

Campillo-Sainz, C., 257
Carleton, R. A., 248
Casey, B. H., 650
Chernick, V., 550
Clarke, G. B., 213
Cohen, J., 388
Conway, J., 190
Covell, J. W., 149
Cropp, G. J. A., 26

Davis, J. O., 475
Davis, L. D., 692
DeGeest, H., 67
de Jalon, G., 18
de la Cruz, M. V., 257
Deutsch, S., 469
Dexter, L., 303
Dintenfass, L., 349
du Mesnil de Rochemont, W., 558

Eckstein, J. W., 263
Entman, M. L., 89

Farrehi, C., 457
Forwand, S. A., 729
Foy, J., 683

Gableman, E. H., 705
Galbreath, R., 616
Gebber, G. L., 714
Gessner, I. H., 625
Giammona, S. T., 683
Gilliland, E. R., 437
Gordon, M. S., 534
Graettinger, J. S., 248
Grover, R. F., 634
Gudbjarnason, S., 558

Han, J., 18
Helmer, P. R., 692
Høedt-Rasmussen, K., 237
Hoffman, B. F., 502

Jackson, W. D., 673
Jain, S., 213, 519
Johnson, P. J., 519
Johnston, C. I., 475

Kaneko, Y., 379
Kashii, C., 219
Katz, L. N., 213, 519
Kavaler, F., 492
Keatinge, W. R., 641
Kelman, G. R., 543
Klocke, F. J., 357
Kleinfeld, M., 484
Koch-Weser, J., 330
Kosan, R. L., 79

Langer, G. A., 164
Lassen, N. A., 237
Lazzara, R., 502
Learoyd, B. M., 278
Lee, T. S., 437
Lesage, M. A., 140
Levine, H. J., 729
Levison, W. H., 673
Levy, M. N., 67, 101
Liebow, A. A., 228
Linzell, J. L., 745
Lipman, R. I., 101
Lopez-Majano, V., 550
Lowe, T. E., 1

McCubbin, J. W., 379
McIntosh, H. D., 89
McIntyre, K. M., 729
Mandelbaum, I., 683
Manley, E. S. Jr., 573

Mann, G. V., 205
Marshall, B. E., 469
Masson, G. M. C., 219
Matsunaga, M., 219
Meffert, W., 228
Merrill, E. W., 437
Moe, G. K., 18
Molyneux, G. S., 650
Moore, E. N., 660
Morad, M., 492
Moss, A. J., 596, 605, 616
Muñoz-Armas, S., 257
Murphy, Q. R., 692

Nash, C. B., 573
Navarro, A., 447
Nayler, W. G., 1
Neufeld, G. R., 469
Newman, H. A. I., 293
Ng, M., 101

Olichney, M. J., 475
O'Rourke, M. F., 126
Overy, H. R., 634

Page, I. H., 219, 379
Paleška, B., 10
Peter, R. H., 89
Pick, R., 213, 519
Piemme, T. E., 303
Preston, J. B., 416
Price, H. L., 469
Price, J. M., 1

Race, D., 1, 525
Rau, R. W., 89
Rondell, P. A., 705
Rosenbaum, M., 525
Rosenfeld, M. G., 388
Rosenthale, M. E., 118
Ross, J. R. Jr., 149, 357

Salzman, E. W., 437
Schechter, E., 729
Schenk, E. A., 596, 605, 616
Scheuer, J., 178
Setchell, B. P., 755
Sinclair-Smith, B. C., 97
Sonnenblick, E. H., 49, 149
Spiro, D., 49
Spotnitz, H. M., 49
Stein, E., 484

XUM

Stephen, G. W., 469
Sugawara, H., 447
Sveinsdottir, E., 237

Taylor, M. G., 126, 278, 585
Temte, J. V., 692
Thorburn, G. D., 650, 755
Tionaytis, C., 484
Torres, J. C., 323
Tow, D. E., 550
Troyer, W. G., 140
Twining, R. H., 550

Ueland, K., 457

Van Citters, R. L., 199
Vick, R. L., 316
Vittands, I., 596
Vogel, J. H. K., 634

Wagner, H. N. Jr., 550
Wagner, M. L., 502
Waites, G. M. H., 755
Wallace, A. G., 140
Weiss, R. M., 502
Whalen, R. E., 89
Wood, E. H., 398
Woodbury, R. A., 573
Woodson, G. C. Jr., 113

Yanowitz, F., 416

Zieske, H., 67, 101
Zilversmit, D. B., 293
Zimmerman, B. G., 429
Zotti, E. F., 140
Zühlke, V., 558

Erratum

Failure of D- and L-Thyroxine to Protect Cholesterol and Oil Fed Cockerels Against Coronary Atherogenesis. *By* Savitri Jain, Ruth Pick, Philip J. Johnson, and Louis N. Katz. (Circulation Res. **18**: 522, 1966.)

In table 2 on page 522 the dosage of D-thyroxine for groups II, III, and IV should be 1, 2 and 4 mg respectively.

Circulation Research

SUBJECT INDEX

VOLUME XVIII JANUARY–JUNE, 1966

A

Acetylcholine
carbon dioxide and epinephrine circulatory effects and, 573
membrane potential of arterial smooth muscle, 641
testicular blood flow of ram, 755
Actinomycin D, cardiac hypertrophy, failure, and inhibition of protein synthesis, 558
Action potentials
cardiac cells, mature and embryonic, barium ion effects on, 484
myocardial, oxygen cost of, 357
Adenosine triphosphatase, human cardiac myofibrillar, in congestive failure, effects of ouabain and calcium, 534
Adrenal glands, zona glomerulosa in experimental hypertension, purified and heterologous renins, 219
Adrenalectomy, carbon dioxide and epinephrine circulatory effects and, 573
Afterload
contractile state of heart by afterloaded and isovolumic beats, 149
force-velocity relations and contractile element work in the intact dog heart, 729
Aging
arteries; elastic modulus, viscosity, longitudinal retraction, radius, and relative wall thickness, 278
ventricular hypertrophy and coronary artery diameter in lambs and sheep, 634
Allergic encephalomyelitis, experimental, somatic and cardiovascular reflexes in rats, 118
Amyl nitrite, electrical and mechanical effects on vascular smooth muscle, 641
Analog computer, indicator-dilution measurements of variable flow; equations, 26
Analog model, baroreceptor reflex system and arterial blood pressure, 673
Anesthesia
electrophysiological effects on the heart, 140
general, left ventricular volumes in tranquilized dogs, 457
Angiocardiography, ventricular volume, biplane, single plane, comparison with indicator dilution, 248
Angiotensin
arterial blood pressure oscillations, Mayer waves, 525
blood pressure rise and mechanism of protracted response, 705
experimental hypertension
renal; cardiovascular reactivity in, 379
vascular disease, zona glomerulosa effects, 219
vena cava constriction, sodium depletion, and blood pressure, 475
membrane potential of arterial smooth muscle, 641
Aorta
cholesterol uptake and release in rabbits, metabolic inhibitors, 293
congenital anomalies produced by mechanical interference with cardiogenesis, 625
elastic modulus, viscosity, aging, longitudinal retraction, radius, and relative wall thickness, 278
impedance, spectral analysis of, 585
insufficiency measured by indicator dilution, 97
D- and L-thyroxine effects on atherosclerosis and serum cholesterol in cockerels, 519
Aortic insufficiency, measurement by indicator dilution, 97
Arrhythmias. *See also* Fibrillation
cardiac, respiratory center activity and, 67
chloroform-epinephrine induced, altered heart rate affecting bigeminy and ventricular tachycardia, 316
Arteries
arterioles
histology of segmental lumen occlusion by constriction, 199
resistance changes related to innervation, 429
atherogenesis
margarines and oils compared, 213
D- and L-thyroxine and cholesterol in cockerels, 519
blood pressure
baroreceptor reflex system and, 673
carbon dioxide and epinephrine circulatory effects, 573
in experimental allergic encephalomyelitis of rats, 118
norepinephrine effects by prolonged infusion, 596
oscillation frequency and damping, Mayer waves, 525
transfusion and hemorrhage effects over 7 to 10 hours, 190
bronchial, development of collaterals increased by growth hormone, 228
coronary
heterologous renin effects, 219
hyperbaric oxygenation and occlusion of, 89
luminal area increase with ventricular hypertrophy, 634
D- and L-thyroxine in atherogenesis, 519
elastic modulus, viscosity, aging, longitudinal retraction, radius, and relative wall thickness, 278
electrical and mechanical activity at smooth muscle, 641
femoral
impedance, 126, 278, 585
spectral analysis of impedance, 585
vascular impedance, dilatation, and constriction in dog and sheep, 126
viscosity, age relations, wall thickness, 278
impedance, femoral arteries, 126, 278, 585
lumen occlusion in arterioles during vasoconstriction, 199
muscle
oxygen consumption during stretch, 79
smooth; membrane potential of, 641
peripheral, segmental resistance changes related to innervation, 429

pulmonary
stenosis; ventricular hypertrophy and coronary lumen area increases, 634
surfactant concentration and pressure-volume curves, 683
spectral analysis of impedance, 585
turbulent blood flow; mathematical model of dye dispersion, 398
Arterioles
histology of segmental lumen occlusion by constriction, 199
resistance changes related to innervation, 429
Asystole, potassium chloride block of subendocardial tissues, 113
Atelectasis, lung circulation in, 366
Atherogenesis
margarines and oils compared, 213
D- and L-thyroxine and cholesterol in cockerels, 519
Atheroma, cholesterol uptake and release in rabbits, filtration theory, 293
ATPase, human cardiac myofibrillar, in congestive failure; effects of ouabain and calcium, 534
Atrioventricular node, block or delay of premature responses, 660
Atrium
concealed A-V conduction of premature responses, 660
interatrial band (Bachmann's bundle), 502
membrane potentials; cyclopropane and hypoxia effects, 692
Atropine
carbon dioxide and epinephrine circulatory effects and, 573
electrophysiological effects on the heart, 140
Automaticity
cardiac
abolished by KCl block of subendocardial tissues, 113
divalent metallic ions on, 484
Autonomic blockade, transfusion and hemorrhage effects, 190
Autonomic nervous system
carbon dioxide and epinephrine effects; blood pressure, heart rate, inotropism, 573
experimental allergic encephalomyelitis in rats, 118

B

Bachmann's bundle (interatrial band), conduction velocity, potassium sensitivity, 502
Barium, pacemaker activity, conduction and contractility of myocardium, 484
Baroreceptors
reflexes
inhibition of vasoconstrictor activity, 714
nonlinear analysis of, 673
spectral analysis of, 585
vagus nerves and inotropic effects on ventricles, 101
Beta-receptors, cardiac; stimulation, blockade, and anesthesia, 140
Bigeminy, cardiac, heart rate effects in chloroform-epinephrine–induced arrhythmias, 316
Birefringence, pulsatile flow patterns in distensible tubes, 447
Block
potassium chloride, of subendocardial tissues, 113
of premature responses in atrioventricular node, 660
Blockade
autonomic, transfusion and hemorrhage effects on blood volume and cardiovascular function, 190
cardiac β-receptors, stimulation and anesthesia, 140
sympathetic, bretylium and effects of baroreceptors, 101
Blood
arterial, pH, norepinephrine effects by prolonged infusion, 596
circulation dynamics, 398
coagulation, clot consistency affected by shear rates, 349
erythrocytes, yield stress and fibrinogen effects, 437
oxygen saturation, norepinephrine effects by prolonged infusion, 596
plasma, cardioactive substance, effects on coronary and limb vessels, 1
red cells, yield stress and fibrinogen effects, 437
thixotropy; blood clots, shear rates, and blood viscosity, 349
viscosity
angiotensin effects in normal and nephrectomized rats, 705
arterial walls, relation to age and location, 278
changes during coagulation, 349
fibrinogen effects with and without dialysis, 437
Blood flow
acceleration and deceleration, heart sounds and, 303
arterial; turbulent, mathematical model of dye dispersion, 398
brain, regional measurements by intra-arterial Kr^{85} and Xe^{133}, 237
coronary
cardioactive substance of plasma and, 1
myocardial ischemia, ECG, lactate-pyruvate ratio, 178
distribution in skin and muscle, sympathetic stimulation and norepinephrine compared, 263
in femoral arteries, impedance, 126, 278, 585
hemorrhage
cardiac output and peripheral resistance over 7 to 10 hours, 190
damped blood pressure oscillations, 525
and metabolism in man, 469
subendocardial, produced by prolonged norepinephrine infusion, 605
impedance in femoral arteries, 126, 278, 585
mammary gland, by thermodilution and Fick principle, 745
measurements
arterial, mathematical model of dye dispersion, 398
brain; regional measurements with Kr^{85} and Xe^{133}, 237
indicator-dilution, variable, 26
with Kr^{85}, 237, 650, 755
mammary gland, by thermodilution and Fick principle, 745
pulmonary, in unilateral hypoxia, by scan, 550
by scan, 550
skin, with Kr^{85} clearance, 650
testicular, with Kr^{85}, 755
by thermodilution, 26, 745
with Xe^{133}, 237
peripheral, cardioactive substance of plasma and, 1
pulmonary, regional change in unilateral hypoxia, by scan, 550
skin
with Kr^{85} clearance, two-compartment model; effect of hair growth and temperature, histological correlation, 650
segmental effects of sympathetic stimulation and norepinephrine, 263
splanchnic, metabolism and hemorrhage in man, 469
testicular, measured with Kr^{85}, 755
variable indicator-dilution measurements of, 26

Blood pressure
angiotensin effects in normal and nephrectomized rats, 705
aortic, frequency components of pressure waves, 303
arterial
baroreceptor reflex system and, 673
carbon dioxide and epinephrine circulatory effects and, 573
in experimental allergic encephalomyelitis of rats, 118
norepinephrine effects by prolonged infusion, 596
oscillation frequency and damping, Mayer waves, 525
transfusion and hemorrhage effects over 7 to 10 hours, 190
hypertension
heterologous renin, vascular disease, zona glomerulosa, 219
renal, 379, 475
renin, 219, 475
retarding substances and renin effects, 219
vascular reactivity in, 379
regulation by baroreceptor reflex, 673
ventricular
frequency components of pressure waves, 303
right, end-diastolic, transfusion and hemorrhage effects, 190
Blood vessels
collateral, increased in lung by growth hormone, 228
coronary, effects of cardioactive plasma substance, 1
electrical and mechanical activity at smooth muscle, 641
extremities, effects of cardioactive plasma substance, 1
reactivity in renal hypertension, 379
vasoconstrictor activity inhibited peripherally, 714
Blood volume
central, transfusion and hemorrhage effects over 7 to 10 hours, 190
norepinephrine effects by prolonged infusion, 596
Books received, 766
Bradykinin, membrane potential of arterial smooth muscle, 641
Brain, regional blood flow measurements by Kr^{85} and Xe^{133}, 237
Bretylium, cardiac sympathetic blockade and effects of baroreceptors, 101

C

Calcium
cardiac myofibrillar ATPase activity in congestive failure, ouabain and, 534
epinephrine effects, cardiac muscle contraction, 492
myocardial K^+ exchange and contraction frequency, 164
Carbon dioxide, epinephrine responsiveness; blood pressure, heart rate, and inotropism, 573
Cardiac catheterization, aortic and mitral regurgitation measured together by indicator dilution, 97
Cardiac disease, aortic and mitral incompetence measured by indicator dilution, 97
Cardiac failure
acute, myocardial tension and contraction velocity, 149
congestive
myocardial ATPase activity, ouabain and calcium effects, 534
produced by prolonged, graded norepinephrine infusions, 605
hypertrophy and inhibition of protein synthesis, 558
norepinephrine producing by prolonged infusion, 596, 605
Cardiac hypertrophy
myocardial failure and inhibition of protein synthesis, 558
thyroxine-induced in mice, 388
ventricular, 634
Cardiac muscle. *See also* Myocardium
epinephrine, calcium, excitation-contraction coupling, 492
mechanics of afterloading force-velocity, contractile element work, 729
Cardiac output
angiotensin effects in normal and nephrectomized rats, 705
aortic and mitral regurgitation measured together by indicator dilution, 97
dye-dilution curves, errors in processing, 543
norepinephrine effects by prolonged infusion, 596
transfusion and hemorrhage effects over 7 to 10 hours, 190
Cardioactive substance, blood vessels affected by, 1
Cardiogenesis, congenital cardiac anomalies produced by mechanical interference with, 625
Carotid sinus, baroreceptor and vagal control of ventricular performance, 101
Catecholamines. *See also* Epinephrine, Isoproterenol, *and* Norepinephrine
lung circulation in hypoxia, 366
testicular blood flow of ram, 755
Catheterization, cardiac, aortic and mitral regurgitation measured together by indicator dilution, 97
Cells
cardiac, mature and embryonic, barium ion effects on, 484
erythrocytes, yield stress and fibrinogen effects, 437
Cerebral circulation, regional blood flow measurements by Kr^{85} and Xe^{133}, 237
Chick embryos
congenital cardiac lesions in
at low incubator temperatures, 257
produced by mechanical interference, 625
Chlorisondamine, carbon dioxide and epinephrine circulatory effects and, 573
Chloroform, epinephrine-induced arrhythmia and, 316
Cholesterol
esterification in rabbit atheromatous aorta, 293
influx in rabbit aorta, 293
metabolism in primates with cystine deficiency, 205
serum
effects of oils and margarines compared, 213
D- and L-thyroxine effects on atherosclerosis compared with, 519
uptake and release from rabbit aorta, metabolic inhibitors, 293
Clotting time, blood coagulum consistency affected by shear rates, 349
Coagulation, blood velocity gradients and clotting time, 349
Collateral circulation, growth hormone increasing development in lung, 228
Computers, indicator-dilution measurements of variable flow; equations, 26
Concealed conduction, atrioventricular delay and block of premature responses, 660
Condenser discharges, defibrillation with and without inductance, 10

Conduction
atrial, specialized via Bachmann's bundle (interatrial band), 502
barium effects on, 484
concealed, A-V delay and block of premature responses, 560
endocardial, asystole produced by intraventricular KCl, 113
isoproterenol and β-blockade effects in the heart, 140
refractoriness of ventricle during hypothermia, 323
velocity, in interatrial band (Bachmann's bundle), 502
Congenital heart defects, in chick embryos, 257, 625
low incubator temperature and, 257
produced by mechanical interference, 625
Congestive heart failure
myocardial ATPase activity in, effects of ouabain and calcium, 534
produced by prolonged, graded infusions of norepinephrine, 605
Constriction. *See* Vasoconstriction
Contractility
afterload effect on contractile element work in the intact dog heart, 729
epinephrine effects on cardiac muscle contraction, 492
in heart cells, barium effects, 484
myocardial
baroreceptors, bretylium, atropine, and vagal blockade, 101
KCl block of subendocardial tissues, 113
potentiation by premature activations, 330
respiratory center activity and, 67
tension and velocity, 149
potassium exchange and contraction frequency, 164
ventricular
afterload effect on contractile element work and force-velocity relations, 729
respiratory center activity and, 67
Control systems
arterial blood pressure, multiple loops and gain, Mayer waves, 525
biological analysis of, 673
Coronary artery
heterologous renin effects, 219
luminal area increase with ventricular hypertrophy, 634
occlusion, hyperbaric oxygenation effects, 89
D- and L-thyroxine effects in atherogenesis; serum cholesterol, 519
Coronary circulation
cardioactive substance of plasma and, 1
myocardial ischemia, ECG, lactate-pyruvate ratio, 178
Cortisone, effects on growth of arterial collateral vessels in lung, 228
Culture, heart cells, rhythmicity and contractility affected by barium, 484
Cyclopropane, membrane potentials of atrial, ventricular, and Purkinje fibers, 692
Cystine, deficiency of and cholesterol metabolism, 295

D

Defibrillation, optimal impulse parameters for, 10
Diet
atherogenic, D- and L-thyroxine in cockerels, 519
fats in hypercholesterolemia and atherogenesis, 213
Dilatation. *See* Vasodilatation
Disturbed flow, 398, 447. *See also* Flow
Double outlet syndrome, experimental congenital lesions in chick embryos, 625
Dye dilution. *See also* Indicator dilution
errors in curve analysis for cardiac output and vascular volume, 543
mathematical model of, 398

E

Elastic modulus, arteries, changes with age; pressure and radius, 278
Electrical activity
myocardial, oxygen cost of, 357
responses of vascular smooth muscle to vasodilator drugs, 641
Electrocardiogram
ischemia of myocardium; oxygen consumption and excess lactate, 178
isoproterenol and β-blockade effects on heart rate, rhythm, and conduction, 140
sympathetic innervation of ventricles affecting, 416
Electron microscopy, myocardial sarcomere structures and lengths related to pressure and volume, 49
Embryology, congenital cardiac anomalies induced in chicks, 257, 625
by low incubator temperature, 257
by mechanical interference, 625
Encephalomyelitis, allergic, experimental, somatic and cardiovascular reflexes in rats, 118
Endocardium
conduction, asystole produced by KCl block, 113
subendocardial hemorrhage produced by prolonged norepinephrine infusions, 605
Endothelium, arteriolar, histological appearance in constriction, 199
Enzymes
inhibitors, cholesterol uptake and release in rabbit atheroma, 293
isoenzymes, lactic dehydrogenase, released by prolonged norepinephrine infusion, 616
Epinephrine
arterial blood pressure oscillations, Mayer waves, 525
carbon dioxide effect on blood pressure, heart rate, inotropism, 573
chloroform-induced cardiac arrhythmia and, 316
excitation-contraction coupling in cardiac muscle, 492
histological evidence of lumen occlusion in arterioles, 199
inotropism, 492, 573
testicular blood flow of ram, 755
vascular reactivity in renal hypertension, 379
Equations, thermodilution variable flow measurements, tests in schema, 26
Erythrocytes, yield stress, fibrinogen effects, 437
Excitation-contraction coupling, epinephrine effects in cardiac muscle, 492
Extrasystoles, myocardial tension and contraction velocity, 149

F

Fats, dietary, atherogenic and hypercholesterolemic effects of, 213
Femoral artery
dilatation, constriction, and vascular impedance in dog and sheep, 126
impedance, 126, 278, 585
spectral analysis of impedance, 585
viscosity, age relations, wall thickness, 278
Fibrillation
defibrillation, optimal impulse parameters for, 10
threshold of premature beats, 18

Fibrinogen, blood viscosity influenced by addition of, 437
Fick principle, mammary gland blood flow, compared with thermodilution method, 745
Filling pressure, relation to myocardial sarcomere length, 49
Filtration theory, in rabbit aorta, 293
Flow. *See also* Blood flow
disturbed, in vessels; dye dispersion, mathematical model, 398
patterns; laminar, turbulent, disturbed; birefringence study method, 447
pulsatile
impedance in femoral arteries; dilatation and constriction, 126
power spectrum and pressure, 447
Fluid flow, dye dispersion, mathematical model, 398
Force-velocity relations
afterload, contractile element work, in the intact dog heart, 729
and the contractile state of the heart, 149
Frequency spectrum, pulsatile flow, pressure, 447

G

Ganglion, stellate, innervation affecting ventricular refractory period, 416
Gas, inert, radioactive, regional cerebral blood flow in man, 237
Growth hormone, arterial collateral vessels increased after ligation of pulmonary artery, 228

H

H zone, in myocardial sarcomeres in dog and cat, 49
Hair growth, skin blood flow with Kr^{85} clearance, two-compartment model; histological correlation, 650
Heart
action potentials, barium effects on embryonic and mature cells, 484
anesthesia effects, 140
arrhythmias
chloroform-epinephrine induced, altered heart rate affecting bigeminy and ventricular tachycardia, 316
respiratory center activity and, 67
automaticity
abolished by KCl block of subendocardial tissue, 113
divalent metallic ions on, 484
ATPase related to failure; ouabain and calcium, 534
bigeminy, heart rate effects in chloroform-epinephrine arrhythmias, 316
block or delay of premature responses in A-V node, 660
conduction
asystole in endocardium by KCl, 113
barium effects on, 484
concealed A-V conduction of premature atrial responses, 660
in interatrial band, 502
isoproterenol and β-blockade effects, 140
refractoriness of ventricle during hypothermia, 323
congenital defects induced in chick embryos
by low incubator temperature, 257
by mechanical interference, 625
congestive failure
myocardial ATPase, ouabain and calcium effects, 534
by prolonged, graded norepinephrine infusions, 605
contractility
afterload effect on contractile element work, 729
barium effects in cells, 484
baroreceptors, bretylium, atropine, and vagal blockade, 101
contraction frequency and K^+ exchange, 164
epinephrine effects on cardiac muscle contraction, 492
KCl block of subendocardial tissues, 113
myocardial tension and contraction velocity, 149
and rate, related to respiratory center activity, 67
defibrillation, optimal impulse parameters for, 10
disease, aortic and mitral, measured by indicator dilution, 97
electrical activation, oxygen cost of, 357
electrocardiogram
ischemia of myocardium, oxygen consumption, excess lactate, 178
isoproterenol and β-blockade effects on rate, rhythm, and conduction, 140
sympathetic innervation of ventricles affecting, 416
failure
acute, myocardial tension and contraction velocity, 149
congestive, 534, 605
hypertrophy and inhibition of protein synthesis, 558
myocardial ATPase, ouabain and calcium effects, 534
norepinephrine producing by prolonged infusion, 596, 605
fibrillation
optimal impulse parameters for defibrillation, 10
threshold of premature beats, 18
hypertrophy
myocardial failure and inhibition of protein synthesis, 558
thyroxine-induced in mice, 388
ventricular, 634
inotropism
carbon dioxide and epinephrine circulatory effects, 573
cells, barium and calcium effects, 484
epinephrine effects on excitation-contraction coupling, 492
vagus nerves and baroreceptor influence, 101
interventricular septal defects in chicks incubated at low temperature, 257
ischemia, myocardial metabolism, ECG, oxygen consumption, lactate-pyruvate ratio, hemodynamics, 178
isoenzymes of lactic dehydrogenase released by prolonged norepinephrine infusions, 616
isoproterenol and β-blockade effects on rate, rhythm, and conduction, 140
membrane potentials
A-V concealed conduction of premature responses, 660
cyclopropane and hypoxia effects, 692
murmurs, flow acceleration transients and pressures related to, 303
muscle. *See also* Myocardium
epinephrine, calcium, excitation-contraction coupling, 492
mechanics of afterloading force-velocity; contractile element work, 729
myocardium. *See* Myocardium
norepinephrine
failure produced by prolonged infusion of, 596
focal lesions and necrosis, 605

isoenzymes of lactic dehydrogenase released by infusion of, 616
output
angictensin effects in normal and nephrectomized rats, 705
aortic and mitral regurgitation measured together by indicator dilution, 97
effects of prolonged norepinephrine infusion, 596
errors in processing dye-dilution curves, 543
transfusion and hemorrhage effects over 7 to 10 hours, 190
oxygen consumption, myocardial ischemia, ECG, excess lactate, 178
oxygen cost of electrical activation, 357
rate
carbon dioxide and epinephrine circulatory effects and, 573
chloroform-epinephrine cardiac arrhythmia affected by, 316
and contractility, related to respiratory center activity, 67
isoproterenol and β-blockade effects, 140
K^+ exchange in myocardium, 164
transfusion and hemorrhage effects over 7 to 10 hours, 190
regurgitation, aortic and mitral, combined indicator-dilution measurements, 97
renin effects, 219
rhythm
barium effects in cells, 484
isoproterenol and β-blockade effects, 140
sarcomere structures and lengths, pressure-volume curves by electron microscopy, 49
sounds, blood flow acceleration and, 303
sympathetic innervation, distribution in ventricles, 416
tachycardia, ventricular, chloroform-epinephrine arrhythmia modified by, 316
ventricles. *See* Ventricle

Heart disease, aortic and mitral incompetence measured by indicator dilution, 97

Heart failure
acute, myocardial tension and contraction velocity, 149
congestive
myocardial ATPase, ouabain and calcium effects, 534
produced by prolonged, graded norepinephrine infusions, 605
hypertrophy and inhibition of protein synthesis, 558
norepinephrine producing by prolonged infusion, 596, 605

Heart muscle. *See also* Myocardium
epinephrine, calcium, excitation-contraction coupling, 492
mechanics of afterloading force-velocity; contractile element work, 729

Heart rate
carbon dioxide and epinephrine circulatory effects and, 573
chloroform-epinephrine cardiac arrhythmia affected by, 316
and contractility, related to respiratory center activity, 67
isoproterenol and β-blockade effects, 140
K^+ exchange in myocardium, 164
transfusion and hemorrhage effects over 7 to 10 hours, 190

Heart sounds, blood flow acceleration and, 303

Heat, testicular blood flow of ram, 755

Hematocrit
norepinephrine effects by prolonged infusion, 596
transfusion and hemorrhage effects over 7 to 10 hours, 190

Hemodynamics
hemorrhage in man, 469
mathematical model of dye dilution, 398
norepinephrine effects by prolonged infusion, 596
pulsatile flow patterns in distensible tubes, 447

Hemorrhage
cardiac output and peripheral resistance over 7 to 10 hours, 190
damped blood pressure oscillations, 525
splanchnic constriction in man, 469
subendocardial, produced by prolonged norepinephrine infusion, 605

Hormones, growth, arterial collateral vessels increased after ligation of pulmonary artery, 228

Hyperbaric oxygenation, effects on coronary artery occlusion, 89

Hypercapnia, epinephrine responsiveness; blood pressure, heart rate, and inotropism, 573

Hypercholesterolemia, influence of dietary fats; oils and margarines compared, 213

Hypertension
experimental, retarding substances and renin effects, 219
heterologous renin, vascular disease, zona glomerulosa, 219
renal
renin-angiotensin system and sodium depletion, 475
vascular reactivity in, 379
renin, 219, 475

Hypertrophy
cardiac
myocardial failure and inhibition of protein synthesis, 558
thyroxine-induced in mice, 388
ventricular, coronary artery lumen area increases and, 634

Hypothermia, ventricular conduction and refractoriness during, 323

Hypoxia
lung circulation in, 366
membrane potentials of atrial, ventricular, and Purkinje fibers, 692
regional, effects on pulmonary blood flow in man, 550

I

Impedance, in femoral artery, 126, 278, 585

Impulses, electrical, optimal parameters for defibrillation by condenser discharge, 10

Incubators, low temperatures and congenital heart defects in chick embryos, 257

Indicator dilution
angiocardiography comparison in ventricular volume studies, 248
aortic and mitral incompetence measured by, 97
errors in curve analysis for cardiac output and vascular volume, 543
mathematical model, 398
thermodilution
left ventricular volume in tranquilized dogs, 457
mammary gland blood flow, compared with Fick method, 745
for measuring variable flow, 26
validity for measuring variable flow, 26
valvular incompetence, cardiac catheterization, 97
ventricular volume overestimated, nonuniform mixing, 248

Inert gas, radioactive, regional cerebral blood flow measurements in man, 237

Infarction, myocardial, hyperbaric oxygenation and coronary artery occlusion, 89
Inhibition
of peripheral sympathetic vasoconstrictor activity, 714
of protein synthesis in cardiac hypertrophy, 558
Innervation
resistance changes in arteries and veins related to, 429
stellate ganglion, and ECG changes in myocardium, 416
Inotropism
baroreceptor and vagal blockade effects on ventricles, 101
cardiac, carbon dioxide and epinephrine circulatory effects, 573
cardiac cells, embryonic and mature, barium and calcium effects on, 484
epinephrine effects on cardiac excitation-contraction coupling, 492
Interatrial band (Bachmann's bundle), specialized conduction fibers, potassium sensitivity, 502
Interventricular septum, congenital defects in chicks incubated at low temperature, 257
Ischemia, myocardial metabolism, ECG, oxygen consumption, lactate-pyruvate ratio, hemodynamics, 178
Isoenzymes, lactic dehydrogenase, in prolonged norepinephrine infusions and myocardial lesions, 616
Isoproterenol
electrophysiological effects on the heart, 140
testicular blood flow of ram, 755

K

Kidney
renal hypertension
renin-angiotensin system and sodium depletion, 475
vascular reactivity in, 379
renin
-angiotensin system and sodium depletion, 475
heterologous, 219
Krypton-85
brain blood flow measured regionally and externally by, 237
skin blood flow, two-compartment model; effect of hair growth and temperature, histological correlation, 650
testicular blood flow measurement, 755

L

Lactate, myocardial ischemia, ECG, oxygen consumption, and pyruvate, 178
Lactation, blood flow in goat during, 745
Lactic dehydrogenase, isoenzymes, released by prolonged norepinephrine infusion, 616
Lumen
coronary artery area, increase with ventricular hypertrophy, 634
occlusion in small arterioles during vasoconstriction, 199
Lung. *See also* Pulmonary circulation
arterial collaterals after ligation, growth hormone increases, 228
circulation in hypoxia, atelectasis; constrictor and dilator drugs, 366
hypoxia
membrane potentials of atrial, ventricular, and Purkinje fibers, 692
regional blood flow by scan, 550
scan, regional blood flow and hypoxia, bronchospirometry, 550
surfactant, pressure-volume curves, pulmonary artery ligation, 683

M

Mammary gland, blood flow in goat by thermodilution and Fick principle, 745
Margarines, atherogenic and hypercholesterolemic effects of oils and, 213
Mathematical model, blood flow and dye dispersion, 398
Mayer waves, blood pressure control, nonlinearities, multiple loops and gain, 525
Membrane potentials
arterial smooth muscle, action of constrictor and dilator substances, 641
atrioventricular concealed conduction of premature responses, 660
cardiac, cyclopropane and hypoxia effects, 692
Metabolism
cholesterol, and cystine deficiency in primates, 205
hemorrhage and splanchnic constriction in man, 469
Methoxamine, left ventricular volumes in tranquilized dogs, 457
Mitral valve, insufficiency measured by indicator dilution, 97
Monkeys, cystine deficiency, cholesterol metabolism, 205
Murmurs, cardiac, flow acceleration transients and pressures related to, 303
Muscle
arterial, oxygen consumption during stretch, 79
cardiac. *See also* Myocardium
epinephrine effects on excitation-contraction coupling, 492
mechanism of afterloading force-velocity; contractile element work, 729
cyclopropane and hypoxia effects on membrane potentials of fibers, 692
flow and resistance redistribution, sympathetic stimulation and norepinephrine compared, 263
mechanics in intact dog heart, 729
oxygen consumption during stretch, 79
smooth, vascular electrical response to vasodilator drugs, 641
Myocardial infarction, hyperbaric oxygenation and coronary artery occlusion, 89
Myocardium
action potentials, oxygen cost of, 357
contractility
barium effects on, 484
baroreceptors, bretylium, atropine, and vagal blockade, 101
contraction velocity at differing tensions, 149
frequency of contraction and K^+ exchange, 164
KCl block of subendocardial tissues, 113
potentiation by premature activations, 330
respiratory center activity, heart rate, and, 67
electrical and mechanical activity, barium ion, 484
failure, hypertrophy, and inhibition of protein synthesis, 558
infarction, hyperbaric oxygenation and coronary artery occlusion, 89
ischemia; ECG, metabolism, lactate, hemodynamics, 178
norepinephrine effects
focal lesions and necrosis produced by prolonged infusions, 605
lactic dehydrogenase enzymes, 616
by prolonged infusion, 596, 605

oxygen consumption
during electrical activation, 357
in myocardial ischemia; ECG, lactate-pyruvate ratio, 178
potassium exchange, calcium, and contraction frequency, 164
sarcomere length, three muscle layers, left ventricular pressure and volume, 49
sympathetic innervation and ECG changes, 416
thyroxine-induced hypertrophy of, 388
Myofibrils, human cardiac myofibrillar ATPase in congestive failure, effects of ouabain and calcium, 534

N

Necrosis, myocardial, produced by prolonged norepinephrine infusion, 605
Nephrectomy, pressor response to angiotensin and epinephrine after, 705
Nerves
autonomic
carbon dioxide and epinephrine effects; blood pressure, heart rate, inotropism, 573
experimental allergic encephalomyelitis in rats, 118
compared responses of arteries and veins on stimulation of sympathetic and somatic nerves, 429
somatic
reflexes in allergic encephalomyelitis, 118
resistance changes in veins on stimulation of, 429
sympathetic
ECG changes induced by, 416
flow and resistance redistribution in perfused skin and muscle, 263
peripheral inhibition of vasoconstriction, 714
resistance changes in arteries and veins on stimulation of, 429
respiratory center effects on heart rate and contractility, 67
vagus
chloroform-epinephrine cardiac arrhythmia affected by stimulation of, 316
respiratory center effects on heart rate and contractility, 67
ventricular myocardium, effects of cold blockade, 101
Nitrites, electrical and mechanical effects on vascular smooth muscle, 641
Node, atrioventricular, block or delay of premature responses, 660
Norepinephrine
arterial blood pressure oscillations, Mayer waves, 525
electrical and mechanical effects on vascular smooth muscle, 641
flow and resistance redistribution in perfused skin and muscle, 263
left ventricular volumes in tranquilized dogs, 457
myocardial tension and contraction velocity, 149
prolonged infusion
hemodynamic effects, 596
lactic dehydrogenase isoenzymes, serum and organs, and myocardial lesions, 616
myocardial and subendocardial lesions produced by, 605
testicular blood flow of ram, 755
vascular reactivity in renal hypertension, 379

O

Occlusion
coronary artery, effects of hyperbaric oxygenation, 89
of lumina in small arterioles during vasoconstriction, 199
Oils
atherogenic and hypercholesterolemic effects of margarine, 213
in atherogenesis, D- and L-thyroxine effects, 519
Oscillation, arterial blood pressure; frequency, damping, multiple-loop control, Mayer waves, 525
Ouabain, cardiac myofibrillar ATPase activity in congestive failure, calcium and, 534
Outflow tract, left ventricular, in experimental congenital lesions in chick embryos, 625
Oxygen
arterial muscle consumption during stretch, 79
hyperbaric oxygenation and coronary artery occlusion, 89
myocardial consumption
during electrical activation, 357
ischemia; ECG, lactate-pyruvate ratio, hemodynamics, 178
saturation during prolonged norepinephrine infusion, 596
Oxygenation, hyperbaric, coronary artery occlusion and, 89

P

Paralysis, reflexes in allergic encephalomyelitis, 118
Perfusion, sympathetic nerve stimulation and norepinephrine compared in foreleg small vessels, 263
Peripheral circulation, cardioactive substance of plasma and, 1
Peripheral resistance
angiotensin effects in normal and nephrectomized rats, 705
norepinephrine effects by prolonged infusion, 596
segmental differences related to innervation, 429
transfusion and hemorrhage effects over 7 to 10 hours, 190
Perphenazine, sedation for ventricular volume studies in dogs, 457
pH, arterial blood, norepinephrine effects by prolonged infusion, 596
Plasma
cardioactive substance, effects on coronary and limb blood vessels, 1
cholesterol; influx of cholesterol into rabbit atheromatous aorta, 293
Potassium
atrial, sensitivity in interatrial band (Bachmann's bundle), 502
epinephrine effects on cardiac muscle contraction, 492
intraventricular KCl, subendocardial conduction and myocardial contractility, 113
myocardial exchange related to perfusate K^+, contraction frequency, and Ca^{++}, 164
Potentials
action potentials
cardiac cells, mature and embryonic, barium ion effects on, 484
myocardial, oxygen cost of, 357
membrane potentials
arterial smooth muscle, action of constrictor and dilator substances, 641
atrioventricular concealed conduction of premature responses, 660
cardiac, cyclopropane and hypoxia effects, 692
transmembrane, cyclopropane and hypoxia effects, 692
Potentiation, contractility of myocardium after premature activations, 330

Power spectrum
pulsatile flow, pressure, 447
random signal analysis, 585
Premature activations, potentiation of myocardial contractility, 330
Premature beats, fibrillation threshold of, 18
Pressoreceptors. *See* Baroreceptors
Pressure. *See also* Blood pressure
filling, index of sarcomere length, 49
pulse, frequency spectrum, 447
right ventricular, coronary vascular development, 634
-volume curves
myocardial sarcomere structures and lengths, 49
in pulmonary artery, surfactant concentration and, 683
waves, frequency components of, 303
Primates, cystine deficiency, cholesterol metabolism in, 205
Pronethalol, electrophysiological effects on the heart, 140
Propranolol, electrophysiological effects on the heart, 140
Protein synthesis
cardiac, thyroxine effects on, 388
inhibition in cardiac hypertrophy and failure, 558
Pulmonary arterial stenosis, ventricular hypertrophy and coronary artery lumen area increases, 634
Pulmonary artery
ligation; surfactant concentration and pressure-volume curves, 683
stenosis; ventricular hypertrophy and coronary artery lumen area increases, 634
Pulmonary circulation
comparison of reactivity in collapsed and ventilated lungs, 366
growth hormone effects on collateral vessels, 228
hypoxia
lung circulation in, 366
membrane potentials of atrial, ventricular, and Purkinje fibers, 692
regional blood flow by scan, 550
Pulsatile flow
impedance, femoral arteries, dilatation and constriction, 126
power spectrum and pressure, 447
Purkinje fibers, membrane potentials; cyclopropane and hypoxia effects, 692
Puromycin, cardiac hypertrophy, failure, and inhibition of protein synthesis, 558
Pyruvate, myocardial ischemia, ECG, oxygen consumption, and lactate, 178

R

Radioactive inert gas, regional cerebral blood flow measurements in man, 237
Reactivity
cardiovascular, in experimental renal hypertension, 379
of lungs to drugs and hypoxia, 366
Receptors
baroreceptors
inhibition of vasoconstrictor activity, 714
nonlinear analysis of, 673
reflexes, 585, 673, 714
spectral analysis of, 585
vagus nerves and inotropic effects on ventricles, 101
beta-receptors, cardiac; stimulation, blockade, and anesthesia, 140
Red blood cells, yield stress, fibrinogen effects, 437
Reflexes
baroreceptor
inhibition of vasoconstrictor activity, 714
nonlinear analysis of, 673
spectral analysis of, 585
vascular
in experimental allergic encephalomyelitis of rats, 118
peripheral inhibition of sympathetic vasoconstrictor activity, 714
Refractory period
ventricle
hypothermia effects on conduction and, 323
sympathetic innervation effects, 416
Renal hypertension
renin-angiotensin system and sodium depletion, 475
vascular reactivity in, 379
Renin
blood pressure in renal hypertension and sodium depletion, 475
hypertensive vascular disease, zona glomerulosa, renal renin, 219
Reserpine
carbon dioxide and epinephrine circulatory effects and, 573
thyroxine-induced cardiac hypertrophy and, 388
Resistance
energy losses in eddies, turbulence, laminar flow, 447
peripheral
angiotensin effects in normal and nephrectomized rats, 705
norepinephrine effects by prolonged infusion, 596
segmental differences related to innervation, 429
transfusion and hemorrhage effects over 7 to 10 hours, 190
vascular, distribution in small vessels of skin and muscle; sympathetic stimulation and norepinephrine compared, 263
Respiration
mechanics, surfactant effects, 683
myocardial contractility affected by, 67
oxygen consumption of arterial smooth muscle, 79
respiratory quotient of arterial smooth muscle, 79
Respiratory quotient, arterial muscle, 79
Rheology
blood and coagula during clotting, 349
blood, fibrinogen effects by addition, 437
Rhythmicity
cardiac
barium effects in cells, 484
isoproterenol and β-blockade effects, 140

S

Sarcomeres, structures and lengths, H zones, M-L complex, sliding filament model, in cat and dog, 49
Scanning techniques, pulmonary blood flow measurements, 550
Schema, indicator-dilution measurements of variable flow tested in, 26
Sedation, perphenazine for ventricular volume studies in dogs, 457
Serotonin, vascular reactivity in experimental renal hypertension, 379
Serum cholesterol
effects of oils and margarines compared, 213
D- and L-thyroxine effects on atherosclerosis compared with, 519
Shock, hemorrhagic, metabolism and splanchnic circulation in man, 469
Sinus arrhythmia, respiratory center activity and, 67

Skin
blood flow with Kr^{85} clearance, two-compartment model; effect of hair growth and temperature, histological correlation, 650
flow and resistance, segmental effects of sympathetic stimulation and norepinephrine, 263
Smooth muscle
arterial, membrane potential of, 641
vascular electrical response to vasodilator drugs, 641
Sodium
depletion; renin and blood pressure in hypertension, 475
epinephrine effects on cardiac muscle contraction, 492
Sodium nitrite, electrical and mechanical effects on vascular smooth muscle, 641
Somatic nerves
reflexes in allergic encephalomyelitis, 118
resistance changes in veins on stimulation of, 429
Sounds, cardiac, flow acceleration transients and pressures related to, 303
Species differences, cholesterol metabolism in primates, 205
Spectral analysis, applied to arterial hemodynamics, 585
Spinal cord, reflexes, in experimental allergic encephalomyelitis in rats, 118
Splanchnic circulation, metabolism and hemorrhage in man, 469
Stellate ganglion, innervation affecting ventricular refractory period, 416
Stochastic analysis, regional cerebral blood flow measurements by Kr^{85} and Xe^{133}, 237
Stroke volume, left ventricular, in tranquilized dogs without general anesthesia, 457
Subendocardial tissues, asystole produced by KCl block of, 113
Surfactant, pulmonary pressure-volume curves and pulmonary artery ligation, 683
Sympathectomy, peripheral inhibition of vasoconstrictor activity revealed by, 714
Sympathetic nervous system
ECG changes induced by, 416
flow and resistance redistribution in perfused skin and muscle, 263
peripheral inhibition of vasoconstriction, 714
resistance changes in arteries and veins on stimulation of, 429
respiratory center effects on heart rate and contractility, 67
Systole
asystole produced by KCl block of subendocardial tissues, 113
extrasystoles, myocardial tension and contraction velocity, 149

T

Tachycardia, ventricular, chloroform-epinephrine arrhythmia modified by, 316
Temperature
congenital heart defects during incubation of chick embryos, 257
effects on testicular blood flow, 755
skin, blood flow measurements with Kr^{85} clearance, two-compartment model, 650
Teratology, experimental, cardiac anomalies induced in chick embryos, 625
Testis, blood flow measured with Kr^{85}, 755
Thermodilution. *See also* Indicator dilution
left ventricular volume in tranquilized dogs, 457
mammary gland blood flow, compared with Fick method, 745
validity for measuring variable flow; equations and tests, 26
Thixotropy, blood clots, shear rates, and blood viscosity, 349
Thyroxine
aortic and coronary atherosclerosis in cockerels; serum cholesterol, 519
cardiac hypertrophy induced by, 388
Tissue
cardiac, myofibrillar ATPase activity, effects of ouabain and calcium in congestive failure, 534
culture, heart cells, rhythmicity and contractility affected by barium, 484
subendocardial, asystole produced by KCl block of, 113
Tone, arterial muscle, oxygen consumption and respiratory quotient, 79
Transfusion, cardiac output and peripheral resistance over 7 to 10 hours, 190
Transmembrane potentials, cardiac, cyclopropane and hypoxia effects, 692
Tyramine, vascular reactivity in experimental renal hypertension, 379

V

Vagus nerves
chloroform-epinephrine cardiac arrhythmia affected by stimulation of, 316
respiratory center effects on heart rate and contractility, 67
ventricular myocardium, effects of cold blockade, 101
Valsalva maneuver, arterial blood pressure oscillations, Mayer waves, 525
Valvular heart disease, aortic and mitral, combined measurement by indicator dilution, 97
Vascular disease, hypertensive; zona glomerulosa, renal renin, 219
Vascular hindrance, angiotensin effects in normal and nephrectomized rats, 705
Vascular impedance, of the femoral bed, 126
Vascular resistance, changes induced by sympathetic stimulation and norepinephrine compared, 263
Vascular volume, errors in analyzing dye-dilution curves, 543
Vasoconstriction
histology of lumen occlusion in small and large arterioles, 199
impedance measurements in femoral artery of dog and sheep, 126
sympathetic, peripheral inhibition of, 714
Vasodilatation, impedance measurements, femoral artery of dog and sheep, 126
Vasodilators, membrane potential of arterial smooth muscle, 641
Vasopressin, vascular reactivity in experimental renal hypertension, 379
Veins
mammary, blood flow in goat, 745
peripheral, segmental resistance changes related to innervation, 429
Velocity
conduction, in interatrial band (Bachmann's bundle), 502
force-velocity relations
and contractile element work in the ventricle, 729
in left ventricle, 149
gradient; blood clotting time and consistency, shear rates, 349
and tension in the intact left ventricle, 149

Ventilation-perfusion, nitrogen breathing, unilateral blood flow by scan method, 550
Ventricle
baroreceptor and vagal control of performance, 101
conduction
concealed A-V conduction of premature atrial responses, 660
refractoriness during hypothermia, 323
contractility
afterload effect on contractile element work and force-velocity relations, 729
respiratory center activity and, 67
fibrillation threshold, 18
frequency components of pressure waves, 303
hypertrophy, coronary artery lumen area increases and, 634
interventricular septal defects in chicks incubated at low temperature, 257
left
force-velocity relations, 149
outflow tract in experimental congenital lesions in chicks, 625
pressure-volume curves, sarcomere length, passive filling, spherical model, 49
volume measurements by indicator dilution and angiocardiography compared, 248
volume in tranquilized dogs without general anesthesia, 457
membrane potentials; cyclopropane and hypoxia effects, 692
oxygen cost of electrical activation, 357
potassium exchange, calcium, and contraction frequency, 164
refractory period
hypothermia effects on conduction and, 323
sympathetic innervation effects, 416
right, increased pressure loads, coronary vascular development, 634
sympathetic innervation and ECG changes, 416
tachycardia, chloroform-epinephrine arrhythmia modified by, 316
volume
left ventricular pressure-volume curves, 49
measurements by indicator dilution and angiocardiography compared, 248
in tranquilized, unanesthetized dogs, 457
Ventricular fibrillation, threshold of premature beats, 18
Ventricular hypertrophy, and coronary artery diameter in lambs and sheep, 634
Ventricular septal defect
interventricular, in chicks incubated at low temperature, 257
production in chick embryos, 625
Ventricular tachycardia, altered heart rate in chloroform-epinephrine arrhythmia, 316
Viscometry, blood and coagula by cone-in-cone and variable frequency methods, 349
Viscosity
arterial walls, relation to age and location, 278
blood
angiotensin effects in normal and nephrectomized rats, 705
changes during coagulation, 349
effects of fibrinogen, yield stress, 437

X

Xenon-133, brain blood flow measured regionally and externally by, 237

Y

Yield stress, blood viscosity; effects of addition of fibrinogen, 437
Young's modulus, arterial walls, relation to age and location, 278

Z

Zona glomerulosa, renin effects on, 219

Authors' Correction

Potassium in Dog Ventricular Muscle: Kinetic studies of distribution and effects of varying frequency of contraction and potassium concentration of perfusate. *By* G. A. Langer and A. J. Brady. (Circulation Res. 18: 170, 1966.)

On page 170 the definition of S_m, given in connection with equation 3, is incorrect. The paragraph below equation 3 should read:—

S_m = specific activity of phase 2 portion of the muscle at start of augmented frequency period = $(1 - e^{-\lambda 2 t1})$ $(e^{-\lambda 2 t2})S_0$ where t_1 = labeling period, t_2 = washout period to start of increased frequency of contraction and S_0 = specific activity of perfusate (cpm/mmolar K^+).